TREE JACK



EIPal

The RH-PUSHER is an indispensable tool!




Straighten your back – use the long Timber Tong!

The timber tong has been made for firewood and small logs. The tong is 65 cm long which means you can work with your back straight when lifting and pulling timber. This working posture saves your back and helps you move larger logs. The link system makes the jaws work in parallel for a safer grip. The harder you lift the harder the jaws grip. This is very important when you handle larger logs.

Gripping width small model: 21 cm Gripping width bigger model: 26 cm

Weight: 1.3 kg





NEW!

A new short Timber Tong with the handle turned 90° to the jaws.

Useful when pulling logs for cutting.

You pull with your hand in a natural direction.

Gripping width small model: 21 cm Gripping width bigger model: 26 cm

Weight: 1.1 kg






ACCESSORIES

OPTION 1

For RH-pusher II and III, there is an accessory set available:

By replacing the top tube, you can insert:

- a 4-point claw as a support when felling tree in certain direction
- a lifting bow to lift items from 135 cm up to 270 cm This set consists of one toptube, one 4-point claw and one lifting bow.




OPTION 2

Other accessories also available to buy only for model RH-Pusher II and III:

A lifting hook to lift miscellaneous from 10 cm up to 90 cm. (This hook fits in ordinary top tube). By mounting a sharp tip, you can use the hook to lift logs (this tip is included in the purchase)





RH-PUSHER-TREE JACK

Tree Jack is an indispensable tool for safe tree-cutting along roads, power lines, when close to houses. Also, when it comes to cut down tree into a certain direction.

Tree Jack is equipped with safety crank. Recommended crank power is 75 kp.

Tree Jack can be cranked out 85 cm, which means you get the tree over in one operation.

Tree Jack is equipped with a special foot with the corners bended in order to be able to put it on big piece of wood, a branch etc when soft ground.

Tree Jack is equipped with a belt (I, II, III) so it can be carried on the shoulder. Tree Jack IV, V and VI are equipped with a handle instead of belt.

The department of safety in Sweden approves Tree Jack.





OPTION 1 only for model II and III, ATTENTION! Top tube in a different design. Sold as a kit. OPTION 2 only for model II and III, ATTENTION! This hook fits in the regular round tube, this hook is sold separately.

Follow us on:



abreipal



REIPAL AB

#rhpusher

	TREE JACK I+	TREE JACK II	TREE JACK III	TREE JACK IV	TREE JACK V	TREE JACK VI
Weight in kilo:	12 KG	13,5 KG	15,5 KG	20 KG	21 KG	25 KG
Shortest length: (without top part):	115 cm 105 cm	135 cm 120 cm				
Working area:						
Top part in:	115-195 cm	135-220 cm				
Top part out:	175-255 cm	195-280 cm	195-280 cm	185-270 cm	185-270 cm	185-270 cm
Ratio/Lift capacity:	20/1500 kg	23/1800 kg	28/2100 kg	34/2550 kg	40/3000 kg	50/3600 kg

